

www.ProGliderBoats.cool



SPECIFICATIONS

Length Overall (LOA) 12'6" (3.81M) **Beam** 6'6" (1.98M) **Boat Weight** 780Lbs (353.8kg) Approx. Motor Up – 5" (12.7cm) Draft Motor Full Down – 14" (35.56cm) Resin infused fiberglass & carbon fiber materials in **Hull Construction** combination with high density closed cell foams **Maximum Load** 600Lbs (272.16kg) 30HP/40HP **Propulsion** Fuel 6 Gal (22.7L) Fully Transferable 5/5/1 Warranty (5-year hull/5-year motor/1-year accessories)

ProGlider Boats Proudly presents

HYPERGLIDER

HIGHLIGHTS

- ✓ HyperGlider combines a versatile, safe, durable and unsinkable Patent Pending design with stability underfoot, comfort, ease of use, and most of all unimaginable fun for drivers and passengers alike!
- HyperGlider is a lightweight, high speed, affordable personal power catamaran.
- ✓ HyperGlider adheres to strict standards of excellence to ensure each boat is built with a high caliber of skill and attention to detail.

- ✓ HyperGlider puts the Fun, Safety, Quality, and Ease of Use back into boating!
- ✓ HyperGlider's streamlined looks exhibit speed, spray, and tantalizing excitement!
- HyperGlider
 gives "drifting"
 an entirely new
 meaning when it
 comes to being on
 the water!







STANDARD FEATURES

- Propulsion Tohatsu® 30HP 4 Stroke Outboard including a High-Performance Stainless-Steel Propeller for peak performance (other power options available upon request)
- 6 Gal removable external fuel tank
- Type 24 battery (starting) with waterproof (IP68) rated 30Amp main power shut off.
- USCG LED Navigation lighting
- 2 High intensity LED docking lights
- Bimini top sunshade

- Bluetooth sound system
- 2 Arch mounted rod holders
- 2 Shock mounted soft ride bolstered seats
- Waterproof steering console with cup holders
- Integrated 1-piece 16" high polycarbonate front spray shield (21" high optional add on)
- Continuous heavy duty rub rail
- Handholds for passenger safety

- Powder-coated aluminum Bimini & lighting arch
- Hardware 316 Stainless or chrome over stainless dependent on application
- Non-Slip molded into all deck surfaces
- Integrated completely sealed foot wells providing user comfort & security
- Stainless bow eye
- 3 Stainless lifting rings/cleats (2aft-1 forward)
- 2 Stainless pop-up cleats

OPTIONS

MODELS:

- Standard Fun Model with 30HP Tohatsu®, Bimini Top, 16" Spray Shield, Hull (White/Lime)
- Fishing Model with 40HP Tohatsu®,
 Electric Trolling Motor package with
 Lithium battery, Bimini Top, 21" Spray
 Shield, Hull (White/Lime)

TRAILERS:

- Custom heavy-duty aluminum trailer with torsion axle, designed to withstand long distance travel
- Custom heavy-duty aluminum trailer with torsion axle & folding tongue
- *Spare tire & mounting bracket for trailer

ELECTRONICS:

- 9" Garmin® GPS & Fish-finder
- NEMA 2000 Pre-Wired to console
- 12V/5A Pre-Wired to console
- Dual waterproof USB charging ports

ENGINE:

- •*Fuel Water Separator
- *Auxiliary 3 Gal fuel tank
- NEMA 2000 Pre-Wired to console
- Hour meter

CONVIENIENCE:

- 21" Spray shield
- *Drawstring seat covers
- *Cell phone mount
- Additional StarPort mounts (set of two mounted on front wings)
- SeaDek® Opt-1 gray 4" teak
- SeaDek® Opt-2 gray 4" teak with 36" fish ruler markings
- *Sand Docker® shallow water anchor
- Fluke Deep water anchor

*Recommended Items

Multiple Patents Pending





What sets ProGlider Boats HyperGlider™apart from others?

- Courteous customer support.
- Unibody construction (no bolt on pontoons or motor mounts).
- Absolutely no use of any wood materials in construction.
- Propellers cannot inadvertently cut hulls when motor is tilted up and turned.
- Flat walking surfaces incorporating non-slip molded directly into fiberglass with optional SeaDek® on main deck.
- Only the very best saltwater rated hardware and materials are used to prevent corrosion.
- Powder-coated 2" aluminum lighting & Bimini arch.
- · Comfortable shock mounted bucket seats.
- Passenger handholds.
- Drier ride due to increased freeboard, higher seating position and patent pending hull design.
- Drier ride due to completely sealed footwells.
- Drier ride due to one-piece polycarbonate splash shield.
- Simple one-piece Sunbrella® Bimini that doesn't interfere with operation of shift/throttle control when open.
- Larger group 24 starting battery.
- Main power shut off switch preventing battery drain when not in use.
- Completely sealed steering mechanism in center console.
- Heavy duty continuous rub rail.
- Unobstructed navigation lights.
- Ability to walk anywhere on boat without capsizing, extreme stability.
- Walkable gull wing design for access to aft sections of boat.
- 5/5/1 Fully transferrable warranty.
- Stainless-Steel pop-up cleats vs plastic.
- 360° Bluetooth speaker sound system.
- Full fiberglass sandwich construction using the best closed cell foams, glass fabrics, and vacuum infusion technology available.
- Carbon fiber reinforced fiberglass where required.
- Dialed-in stainless steel propeller for top performance.
- General overall robustness.
- Fits in standard 7' high x 20' deep double garage when on trailer.
- Aluminum torsion axle trailer to prevent rusting.
- Did we mention courteous customer support?©